

Child Development

Please fill in the box next to the best answer. (Fill in only one box per question)

1. What condition is healthy child development primarily dependent upon? (Choose one)
 - The child having lots of friends.
 - The child receiving negative feedback from parents and other adults about behavior.
 - The child being supported and nurtured by the parent.
 - The child being within an acceptable range on the physical growth chart.
2. All of the following statements about child development are correct, **EXCEPT**: (Choose one)
 - Delays can be in some developmental domains and not others.
 - Each child develops at their own unique pace.
 - A traumatic event can cause a delay or regression in a child's development.
 - Developmental milestones are not like building blocks - they do not build on the one before it.
3. Traumatic childhood events can result in all of the following, **EXCEPT**: (Choose one)
 - The loss of developmental milestones.
 - Interruption of the progression to the next developmental level.
 - Both the loss of and delays in the achievement of milestones.
 - Faster achievement of all developmental milestones.
4. What action should a parent who is fostering or adopting take if they notice a developmental delay or regression? (Choose one)
 - Pretend that they do not notice the delay or regression.
 - Yell at the child to act their age.
 - Hide the child's delay from professionals.
 - Change or modify their parenting to better support the child's growth and learning.

5. What are three characteristics that are helpful to possess when parenting a child whose chronological age is different than their developmental age? (Choose one)
- Attunement, unrealistic, and emotionally supportive and nurturing.
 - Attunement, realistic, and angry.
 - Attunement, realistic, and emotionally supportive and nurturing.
 - Attunement, unrealistic, and easily frustrated.