



SmartPA Criteria Proposal

Drug/Drug Class:	Targeted Immune Modulators, Tumor Necrosis Factor (TNF) Inhibitors PDL Edit
First Implementation Date:	January 22, 2004
Proposed Date:	September 15, 2022
Prepared For:	MO HealthNet
Prepared By:	MO HealthNet/Conduent
Criteria Status:	□ Existing Criteria⊠ Revision of Existing Criteria□ New Criteria

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected:

Tumor necrosis factor (TNF) inhibitors are agents that bind to the TNF alpha receptor and interfere with cytokine binding. The interference of TNF inhibits the cytokine driven inflammatory response and helps alleviate the symptoms of several auto-immune disorders. Although these agents interact with the same biological target and pathway, the structure and mechanism of action of these agents vary. There are multiple agents in this class, and while there is a great deal of overlap in their indications, there are also unique indications for each. Each agent is administered through either the subcutaneous route or intravenous route, depending on the indication. These agents display a wide range of potentially serious adverse effects, including infusion reactions, neutropenia, infection, heart failure, malignancy, and the development of autoantibodies against the agent leading to decreased efficacy over time. The TNF inhibitors are commonly reserved for participants with moderate-to-severe disease after failure to control disease progression with first line therapies.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information:

Preferred Agents	Non-Preferred Agents
• Enbrel®	Avsola [®]
Humira®	Cimzia [®]
Infliximab	Inflectra®
Renflexis®	Remicade®
	Simponi®
	Simponi ARIA®

Type of Criteria: ☐ Increased risk of ADE ☐ Preferred Drug List ☐ Clinical Edit

Data Sources: ☐ Only Administrative Databases ☐ Database

Setting & Population

- Drug class for review: Targeted Immune Modulators, Tumor Necrosis Factor (TNF) Inhibitors
- Age range: All appropriate MO HealthNet participants aged 18 years or older unless indicated otherwise

Approval Criteria

- Documented compliance on current therapy OR
- Failure to achieve desired therapeutic outcomes with trial on 2 preferred agents
 - Documented trial period of preferred agents OR
 - Documented ADE/ADR to preferred agents AND
- Documented diagnosis of rheumatoid arthritis:
 - Adequate therapeutic trial of methotrexate OR
 - Contraindication to methotrexate therapy OR

Documentation of appropriate diagnosis and participant age range for requested agent:

Generic	Brand	Indication
Adalimumab	Humira [®]	 Ankylosing spondylitis Crohn's disease (aged 6 or older) Hidradenitis suppurativa (aged 12 or older) Plaque psoriasis Polyarticular juvenile idiopathic arthritis (aged 2 or older) Psoriatic arthritis Rheumatoid arthritis Ulcerative colitis (aged 5 or older) Uveitis (aged 2 or older)
Certolizumab Pegol	Cimzia [®]	 Ankylosing spondylitis Crohn's disease Non-radiographic axial spondyloarthritis Plaque psoriasis Psoriatic arthritis Rheumatoid arthritis
Etanercept	Enbrel®	 Ankylosing spondylitis Plaque psoriasis (aged 4 or older) Polyarticular juvenile idiopathic arthritis (aged 2 or older) Psoriatic arthritis Rheumatoid arthritis
Golimumab	Simponi [®]	 Ankylosing spondylitis Psoriatic arthritis Rheumatoid arthritis Ulcerative colitis
Golimumab	Simponi ARIA®	 Ankylosing spondylitis Juvenile idiopathic arthritis (aged 2 or older) Psoriatic arthritis (aged 2 or older) Rheumatoid arthritis
Infliximab	Remicade [®]	 Ankylosing spondylitis Crohn's disease (aged 6 or older) Plaque psoriasis Psoriatic arthritis Rheumatoid arthritis Ulcerative colitis (aged 6 or older)

Generic	Brand	Indication
Infliximab-abda	Renflexis®	 Ankylosing spondylitis Crohn's disease (aged 6 or older) Plaque psoriasis Psoriatic arthritis Rheumatoid arthritis Ulcerative colitis (aged 6 or older)
Infliximab-axxq	Avsola [®]	 Ankylosing spondylitis Crohn's disease (aged 6 or older) Plaque psoriasis Psoriatic arthritis Rheumatoid arthritis Ulcerative colitis (aged 6 or older)
Infliximab-dyyb	Inflectra®	 Ankylosing spondylitis Crohn's disease (aged 6 or older) Plaque psoriasis Psoriatic arthritis Rheumatoid arthritis Ulcerative colitis (aged 6 or older)

Denial Criteria

- Therapy will be denied if all approval criteria are not met
- Lack of adequate trial on required preferred agents

Lask of adoquate that on required profession ad agente
Required Documentation
Laboratory Results: Progress Notes: Other:
Disposition of Edit
Denial: Exception Code "0160" (Preferred Drug List) Rule Type: PDL
Default Approval Period

1 year

References

- Evidence-Based Medicine Analysis: "Targeted Immune Modulators (Biologics DMARDS [IL-6, TNF, IL-17A Antibody/IL-17 RA & IL-23/IL-12, JAK Inhibitors, CAPs agents, Select/Other Agents])". UMKC-DIC; August 2022.
- Evidence-Based Medicine and Fiscal Analysis: "Targeted Immune Modulators: Tumor Necrosis Factor (TNF) Inhibitors - Therapeutic Class Review", Conduent Business Services, L.L.C., Richmond, VA; June 2021.
- 2015 American College of Rheumatology Guideline for the Treatment of Rheumatoid Arthritis, Singh et al. Arthritis Care & Research - DOI 10.1002/acr.22783
- Avsola [package insert]. Thousand Oaks, CA: Amgen, Inc; September 2021.

SmartPA PDL Proposal Form

- Cimzia [package insert]. Smyrna, GA: UCB Inc; September 2019.
- Enbrel [package insert]. Thousand Oaks, CA: Immunex Corporation; June 2022.
- Humira [package insert]. North Chicago, IL: AbbVie Inc; February 2021.
- Inflectra [package insert]. New York, NY: Pfizer Inc; March 2022.
- Remicade [package insert]. Horsham, PA: Janssen Biotech, Inc; October 2021.
- Renflexis [package insert]. Whitehouse Station, NJ: Merck Sharp & Dohme Corp; January 2022.
- Simponi [package insert]. Horsham, PA: Janssen Biotech, Inc; September 2019.
- Simponi Aria [package insert]. Horsham, PA: Janssen Biotech, Inc; February 2021.
- USPDI, Micromedex; 2022.
- Facts and Comparisons eAnswers (online); 2022 Clinical Drug Information, LLC.

