

SmartPA Criteria Proposal

Drug/Drug Class:	Opioid Dependence Agents PDL Edit
First Implementation Date:	April 2, 2015
Proposed Date:	December 16, 2021
Prepared For:	MO HealthNet
Prepared By:	MO HealthNet/Conduent
Criteria Status:	<input checked="" type="checkbox"/> Existing Criteria <input type="checkbox"/> Revision of Existing Criteria <input type="checkbox"/> New Criteria

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected: According to the U.S. Department of Health and Human Services (HHS), in 2019, 10.1 million people misused prescription opioids. Of those, 1.6 million were diagnosed with an opioid use disorder (OUD); 48,006 deaths were attributed to overdosing on synthetic opioids other than methadone. In Missouri in 2018, nearly 3.1 persons died each day from an opioid overdose. OUD is a complex health condition that requires long-term treatment.

Medication Assisted Treatment (MAT) for opioid addiction is effective in facilitating recovery from opioid addiction and has become the standard of care. Use of these pharmacologic agents can help in withdrawal symptoms and reduce cravings of opioids. Buprenorphine, in particular, has a significantly lower risk of respiratory depression unless combined with benzodiazepines. The majority of data suggests that counseling helps to improve treatment outcomes while on buprenorphine/naloxone. Getting affected persons into treatment saves lives and is more likely to lead to full recovery.

MO HealthNet has modified its policies to improve access to Medication-Assisted-Treatment as part of the MO Opioid State Targeted Response (STR) Project.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information:	Preferred Agents	Non-Preferred Agents
	<ul style="list-style-type: none"> Buprenorphine SL Tabs Buprenorphine/Naloxone SL Tabs Naltrexone Tabs Sublocade® Suboxone® Film Vivitrol® 	<ul style="list-style-type: none"> Buprenorphine/Naloxone SL Film Probuphine® Zubsolv®

Type of Criteria: Increased risk of ADE Preferred Drug List
 Appropriate Indications Clinical Edit

Data Sources: Only Administrative Databases Databases + Prescriber-Supplied

Setting & Population

- Drug class for review: Opioid Dependence Agents
- Age range: All appropriate MO HealthNet participants

Approval Criteria

- For Probuphine:
 - Documented diagnosis of opioid use disorder **AND**
 - Participant claim history demonstrates at least 30 days of stable therapy on ≤ 8 mg/day of buprenorphine in the last 90 days **AND**
 - Participant is currently not pregnant **AND**
 - Claim frequency does not exceed 1 claim every 162 days
- For Sublocade:
 - Documented diagnosis of opioid use disorder **AND**
 - Participant claim history demonstrates at least 30 days of stable therapy on buprenorphine in the last 90 days **AND**
 - Claim frequency does not exceed 1 claim every 26 days **AND**
 - Claim frequency for 300mg strength does not exceed 2 claims every 6 months
- For Vivitrol:
 - Documented diagnosis of alcohol dependence, opioid use disorder or substance use disorder **AND**
 - Participant is currently not pregnant **AND**
 - Claim frequency does not exceed 1 claim every 21 days
- For all other agents not listed above:
 - Claim does not exceed max dosing limitations (see Appendix A) **AND**
 - Participant claim history plus incoming claim demonstrates ≤ 24 mg/day of buprenorphine in the past 25 days
- Failure to achieve desired therapeutic outcomes with a trial on 3 preferred agents
 - Documented trial period for preferred agents **OR**
 - Documented ADE/ADR to preferred agents **OR**
 - Documented compliance on a current non-preferred therapy regimen (90/120 days)

Denial Criteria

- Lack of adequate trial on required preferred agents
- Therapy will be denied if all approval criteria are not met
- Claim exceeds maximum dosing limitations for the following:

Drug Description	Generic Equivalent	Max Units per Day
BUNAVAIL 2.1-0.3 MG FILM BUCCAL	BUPRENORPHINE HCL/NALOXONE HCL	6 films
BUNAVAIL 4.2-0.7 MG FILM BUCCAL	BUPRENORPHINE HCL/NALOXONE HCL	3 films
BUNAVAIL 6.3 MG-1 MG FILM BUCCAL	BUPRENORPHINE HCL/NALOXONE HCL	2 films
RE VIA 50 MG TABLET	NALTREXONE HCL	1 tablet
SUBOXONE 12 MG-3 MG SL FILM	BUPRENORPHINE HCL/NALOXONE HCL	2 films
SUBOXONE 2 MG-0.5 MG SL FILM	BUPRENORPHINE HCL/NALOXONE HCL	12 films
SUBOXONE 2 MG-0.5 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	12 tablets
SUBOXONE 4 MG-1 MG SL FILM	BUPRENORPHINE HCL/NALOXONE HCL	6 films
SUBOXONE 8 MG-2 MG SL FILM	BUPRENORPHINE HCL/NALOXONE HCL	3 films
SUBOXONE 8 MG-2 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	3 tablets
SUBUTEX 2 MG SL TABLET	BUPRENORPHINE HCL	12 tablets
SUBUTEX 8 MG SL TABLET	BUPRENORPHINE HCL	3 tablets
ZUBSOLV 0.7-0.18 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	24 tablets

SmartPA PDL Proposal Form

© 2021 Conduent Business Services, LLC. All rights reserved. Conduent™ and Conduent Design™ are trademarks of Conduent Business Services, LLC in the United States and/or other countries.

Other company trademarks are also acknowledged.

ZUBSOLV 1.4-0.36MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	12 tablets
ZUBSOLV 11.4-2.9 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	1 tablet
ZUBSOLV 2.9-0.71 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	6 tablets
ZUBSOLV 5.7-1.4 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	3 tablets
ZUBSOLV 8.6-2.1 MG SL TABLET	BUPRENORPHINE HCL/NALOXONE HCL	2 tablets

Drug Description	Generic Equivalent	Claim Frequency Limitation
PROBUPHINE 74.2 MG IMPLANT	BUPRENORPHINE HCL	1 every 162 days
SUBLOCADE 100 MG/0.5ML SYRINGE	BUPRENORPHINE	1 every 26 days
SUBLOCADE 300 MG/1.5ML SYRINGE	BUPRENORPHINE	1 every 26 days
VIVITROL 380 MG VIAL	NALTREXONE MICROSPHERES	1 every 21 days

Required Documentation

Laboratory Results: Progress Notes:
 MedWatch Form: Other:

Disposition of Edit

Denial: Exception Code "0160" (Preferred Drug List)
 Rule Type: PDL

Default Approval Period

180 days

References

- Evidence-Based Medicine and Fiscal Analysis: "Opiate Dependence Agents – Therapeutic Class Review", Conduent Business Services, L.L.C., Richmond, VA; November 2021.
- Evidence-Based Medicine Analysis: "Opiate Agonist Dependence", UMKC-DIC; October 2021.
- Missouri Department of Health and Senior Services. Missouri Opioids Information. <http://health.mo.gov/data/opioids/>. Website accessed November 2020.
- National Practice Guideline for the Use of Medications in the Treatment of Addiction Involving Opioid Use. American Society of Addiction Medicine (ASAM). Adopted by the ASAM Board of Directors, June 1, 2015.
- Drug Effectiveness Review Project – Briefing Paper: "Opioid Dependency Treatment". Center for Evidence-Based Policy, Oregon Health & Science University; July 2019.
- Medicaid Evidence-based Decisions Project (MED) Report. "Best Practices for State Medication-Assisted Treatment Programs". November 2017" - Center for Evidence-Based Policy, Oregon Health & Science University; November 2017.
- Missouri Opioid State Target Response (STR) Project. <https://missouriopioidstr.org/>. Accessed December 2018.
- USPDI, Micromedex; 2021.
- Drug Facts and Comparisons On-line; 2021.