



## SmartPA Criteria Proposal

Drug/Drug Class:	Androgenic Agents PDL Edit		
First Implementation Date:	December 31, 2008		
Proposed Date:	April 18, 2023		
Prepared For:	MO HealthNet		
Prepared By:	MO HealthNet/Conduent		
Criteria Status:	□Existing Criteria ☑Revision of Existing Criteria □New Criteria		

## **Executive Summary**

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected:

Male hypogonadism is caused by insufficient production of testosterone. It is most often characterized by low serum concentration, presenting as testosterone deficiency, infertility, or both. Causes of hypogonadism are classified as primary or secondary. Primary male hypogonadism includes conditions such as cryptorchidism, bilateral torsion, orchitis, vanishing testis syndrome, orchidectomy, chemotherapy, or toxic damage from alcohol or heavy metals. These patients usually present with low testosterone levels and elevated follicle stimulating hormone, and luteinizing hormone levels. Secondary hypogonadism includes idiopathic gonadotropin or luteinizing hormone releasing hormone deficiency and pituitary hypothalamic injury from tumors, trauma, or radiation. Supplementation of endogenous testosterone can maintain secondary sex characteristics, optimize bone density, and restore fertility.

Total program savings for the PDL classes will be regularly reviewed.

## Program-Specific Information

fic	Preferred Agents	Non-Preferred Agents
on:	Androderm® Gel Patch	AndroGel®
	<ul> <li>Testosterone Cypionate</li> </ul>	Aveed®
	<ul> <li>Testosterone Enanthate</li> </ul>	Depo®-Testosterone
	<ul> <li>Testosterone 1.62% Pump (gen</li> </ul>	Fortesta®
	AndroGel® 1.62% Pump)	<ul> <li>Methitest<sup>™</sup> Tabs</li> </ul>
		Methyltestosterone Caps
		Natesto®
		Testim®
	*	Testopel®
		Testosterone 1% Pump (gen
		AndroGel®)
		Testosterone Gel (gen Fortesta®)
		Testosterone Gel (gen Testim®)
		Testosterone Gel Pack (gen
		AndroGel® Pack)
		Testosterone Gel Pump (gen
		Axiron®)

		<ul> <li>Tlando<sup>®</sup></li> <li>Vogelxo<sup>®</sup></li> </ul>		
		Xyosted®		
Type of Criteria:	<ul><li>☐ Increased risk of ADE</li><li>☐ Appropriate Indications</li></ul>	<ul><li>☑ Preferred Drug List</li><li>☐ Clinical Edit</li></ul>		
Data Sources:	☐ Only Administrative Databases	☑ Databases + Prescriber-Supplied		
Setting & Popula	ation			
	review: Androgenic Agents I appropriate MO HealthNet participants			
Approval Criteria				
<ul> <li>Failure to achieve desired therapeutic outcomes with trial on 3 or more preferred agents</li> <li>Documented trial period of preferred agents OR</li> <li>Documented ADE/ADR to preferred agents</li> </ul>				
<b>Denial Criteria</b>				
<ul> <li>Lack of adequate trial on required preferred agents</li> <li>Therapy will be denied if all approval criteria are not met</li> </ul>				
Required Documentation				
Laboratory Results: Progress Notes: Other:				
<b>Disposition of E</b>	dit			
Denial: Exception Code "0160" (Preferred Drug List) Rule Type: PDL				
Default Approval Period				
1 year				

## References

- Evidence-Based Medicine and Fiscal Analysis: "Therapeutic Class Review: ENDOCRINE AND METABOLIC: Androgenic Agents", Gainwell Technologies; Last updated February 28, 2023.
- Evidence-Based Medicine Analysis: "Androgenic Agents", UMKC-DIC; Last updated September 2022.
- USPDI, Micromedex; 2023.
- Facts and Comparisons eAnswers (online); 2023 Clinical Drug Information, LLC.