



SmartPA Criteria Proposal

Drug/Drug Class:	Cephalosporins PDL Edit	
First Implementation Date:	October 5, 2017	
Proposed Date:	June 18, 2020	
Prepared For:	MO HealthNet	
Prepared By:	MO HealthNet/Conduent	
Criteria Status:	⊠Existing Criteria □Revision of Existing Criteria □New Criteria	

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected:

Oral cephalosporins are divided into 3 generations of agents. First generation oral cephalosporins are active against gram-positive organisms. Second generation oral cephalosporins are active against some gram-positive and gram-negative organisms. Third generation oral cephalosporins have enhanced activity against many gramnegative organisms and are more effective against many resistant bacteria. Many third generation oral cephalosporins also have activity against gram-positive organisms. Cephalosporins are considered to be a part of the beta-lactam antibiotics group. Betalactam antibiotics inhibit the growth of bacteria by inactivating the beta-lactamase enzyme located in the bacterial cell membrane which is involved in its cell wall synthesis. The oral cephalosporins have been around for a long time and continue to be useful, especially for uncomplicated infections of the skin and skin structures. They may also be utilized for streptococcal pharyngitis in participants who are penicillin-allergic but are may not cause anaphylaxis. Adult and pediatric dosing recommendations are available in the literature for most of the available products, as well as liquid formulations. In general, the oral cephalosporins are well tolerated. In many cases, third generation cephalosporins may be given once or twice daily to promote participant adherence.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information:

Preferred Agents	Non-Preferred Agents
Cefadroxil Caps	Cefaclor Caps/Susp
Cefdinir Caps/Susp	Cefaclor ER Tabs
Cefprozil Tabs/Susp	Cefadroxil Tabs/Susp
Cefuroxime Tabs	Cefixime Caps/Susp
Cephalexin Caps/Susp	Cefpodoxime Tabs/Susp
	Cephalexin Tabs
	Keflex®
	Suprax®

Type of Criteria:	☐ Increased risk of ADE☐ Appropriate Indications	☑ Preferred Drug List☐ Clinical Edit	
Data Sources:	☐ Only Administrative Databases	☑ Databases + Prescriber-Supplied	
Setting & Popula	ation		
 Drug class for review: Cephalosporins Age range: All appropriate MO HealthNet participants 			
Approval Criteria	a		
 Docur 	eve desired therapeutic outcomes with trial on nented trial period of preferred agents OR nented ADE/ADR to preferred agents	n 2 or more preferred agents	
Denial Criteria			
	ate trial on required preferred agents e denied if no approval criteria are met		
Required Docum	nentation		
Laboratory Resul MedWatch Form:			
Disposition of E	dit		
Denial: Exception Rule Type: PDL	Code "0160" (Preferred Drug List)		
Default Approva	l Period		

References

1 year

- 1. Lippincott, Williams, Wilkins. PDR Electronic Library, Montvale NJ; 2020.
- 2. USPDI, Micromedex; 2020.
- 3. Facts and Comparisons eAnswers (online); 2020 Clinical Drug Information, LLC.
- 4. Letourneau, A., (2019). Beta-lactam antibiotics: mechanisms of action and resistance and adverse effects. In A. Bloom (Ed.), *UpToDate*.
- 5. Evidence-Based Medicine and Fiscal Analysis: "Cephalosporins and Related Antibiotics Oral Therapeutic Class Review, Conduent Business Services, L.L.C., Richmond, VA; April 2020.
- 6. Evidence-Based Medicine Analysis: "Oral Cephalosporins & Related Antibiotics", UMKC-DIC; April 2020
- 7. Cefadroxil [package insert]. East Windsor, NJ: Aurobind Pharma USA; 2018.
- 8. Keflex [package insert]. Locust Valley, NY: Pragma Pharmaceuticals LLC; 2018.

SmartPA PDL Proposal Form

© 2020 Conduent Business Services, LLC. All rights reserved. ConduentTM and Conduent DesignTM are trademarks of Conduent Business Services, LLC in the United States and/or other countries.