



SmartPA Criteria Proposal

Drug/Drug Class:	Penicillins PDL Edit
First Implementation Date:	October 5, 2017
Proposed Date:	June 18, 2020
Prepared For:	MO HealthNet
Prepared By:	MO HealthNet/Conduent
Criteria Status:	□Existing Criteria ⊠Revision of Existing Criteria □New Criteria

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected:

Penicillins are β-lactam antibiotics that are bactericidal by unknown mechanisms but perhaps by activating autolytic enzymes that destroy the cell wall in some bacteria. In general, penicillins are active against gram-positive bacteria (e.g. staphylococci, streptococci) and some gram-negative cocci (e.g. meningococci). Benzathine penicillin G intramuscularly is used to treat syphilis, while amoxicillin is a good all-purpose choice for treatment of susceptible infections in both adults and children. The second generation penicillins (ampicillin and amoxicillin) are broad spectrum penicillins distinguished by their coverage against gram negative bacilli. Amoxicillin is generally preferred over ampicillin because it is better absorbed, tastes good, has fewer gastrointestinal effects, and can be given less frequently. Some bacteria produce β-lactamases, which can inactivate these antibiotics; the addition of clavulanate helps retain the effectiveness of certain penicillins. Clavulanate extends the coverage spectrum of amoxicillin, making it more effective for more serious and resistant bacterial infections such as sinusitis, otitis, and lower respiratory tract infections. Dicloxacillin is especially useful in the treatment of penicillinase-producing staphylococci, such as methicillin-susceptible staphylococcus aureus. The Infectious Disease Society of America guidelines recommend various penicillin agents for different bacterial infections based on likely pathogens for the site of infection and range of coverage and possible resistance of those pathogens.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information

fic	Preferred Agents	Non-Preferred Agents	
n:	Amoxicillin	 Amox/Clavulanate 250-62.5mg/5ml 	
	 Amox/Clavulanate Susp/Tabs (except 	Susp	
	250-62.5mg Susp)	 Amox/Clavulanate Chew Tabs 	
	Ampicillin	 Amox/Clavulanate XR Tabs 	
	Bicillin® C-R Inj	 Augmentin XR™ 	
	Penicillin V	Augmentin® Susp	
		Dicloxacillin	

Type of Criteria:	☐ Increased risk of ADE☐ Appropriate Indications	☑ Preferred Drug List☐ Clinical Edit		
Data Sources:	☐ Only Administrative Databases	☑ Databases + Prescriber-Supplied		
Setting & Popula	ation			
Age range: Al	review: Penicillins I appropriate MO HealthNet participants			
Approval Criteri	a			
 Docur 	ieve desired therapeutic outcomes with trial of mented trial period for preferred agents OR mented ADE/ADR to preferred agents	on 3 or more preferred agents		
Denial Criteria				
 Lack of adequate trial on required preferred agents Therapy will be denied if no approval criteria are met 				
Required Docum	nentation			
Laboratory Resu MedWatch Form				
Disposition of Edit				
Denial: Exception Code "0160" (Preferred Drug List) Rule Type: PDL				
Default Approva	l Period			
1 year				

References

- 1. Evidence-Based Medicine and Fiscal Analysis: "Penicillins Therapeutic Class Review"-, Conduent Business Services, L.L.C., Richmond, VA; April 2020.
- 2. Evidence-Based Medicine Analysis: "Penicilin and Related Agents", UMKC-DIC; March 2020.
- 3. Lippincott, Williams, Wilkins. PDR Electronic Library, Montvale NJ; 2020.
- 4. USPDI, Micromedex; 2020.
- 5. Facts and Comparisons eAnswers (online); 2020 Clinical Drug Information, LLC.

© 2020 Conduent Business Services, LLC. All rights reserved. ConduentTM and Conduent DesignTM are trademarks of Conduent Business Services, LLC in the United States and/or other countries.