



Conduent™ Behavioral Health Report

ADD/ADHD Patients Receiving Behavioral Health Program

Patients with Precertifications active as of: December 2020

Patient Ages 0 - 17

Children in State Custody

| <i>Description</i> | <i>Age 0-2</i> | <i>Age 3-4</i> | <i>Age 5-12</i> | <i>Age 13-17</i> | <i>Total</i> | <i>% of Patients with ADD/ADHD Precerts</i> | <i>% of Total Patients with Precerts</i> |
|--|----------------|----------------|-----------------|------------------|--------------|---|--|
| <i>ADD/ADHD as Primary Diagnosis</i> | 0 | 6 | 105 | 41 | 152 | 83.52 % | 10.38 % |
| <i>ADD/ADHD as Secondary Diagnosis</i> | 0 | 0 | 21 | 9 | 30 | 16.48 % | 2.05 % |
| <i>Precerts with ADD/ADHD as Primary or Secondary Diag</i> | 0 | 6 | 126 | 50 | 182 | 100.00 % | 12.43 % |
| <hr/> | | | | | | | |
| 182 patients | | | | | | | |
| <i>ADD/ADHD Diagnosis Not on Stimulant Therapy</i> | 0 | 6 | 55 | 12 | 73 | 40.11 % | |
| <i>ADD/ADHD Diagnosis on Stimulant Therapy</i> | 0 | 0 | 71 | 38 | 109 | 59.89 % | |

**Active approved behavioral health precertifications. Patients may appear in multiple counts if they have had multiple precertifications that crossed over into different age groupings.*

Friday, January 01, 2021

Page 1 of 6



Conduent™ Behavioral Health Report

109 patients

| | | | | | | |
|---|---|---|----|----|----|---------|
| <i>ADD/ADHD Diagnosis on Stimulant and Other Psych Therapy</i> | 0 | 0 | 50 | 36 | 86 | 78.90 % |
| <i>ADD/ADHD Diagnosis on Stimulant and No Other Psych Therapy</i> | 0 | 0 | 21 | 2 | 23 | 21.10 % |

| | | | | | | |
|---|----|----|-----|-----|------|--|
| <i>Patients with Active Behavioral Health Precertifications</i> | 16 | 69 | 844 | 535 | 1464 | |
|---|----|----|-----|-----|------|--|

**Active approved behavioral health precertifications. Patients may appear in multiple counts if they have had multiple precertifications that crossed over into different age groupings.*

Friday, January 01, 2021

Page 2 of 6



Conduent™ Behavioral Health Report

Children Not in State Custody

| <i>Description</i> | <i>Age 0-2</i> | <i>Age 3-4</i> | <i>Age 5-12</i> | <i>Age 13-17</i> | <i>Total</i> | <i>% of Patients with ADD/ADHD Precerts</i> | <i>% of Total Patients with Precerts</i> |
|---|----------------|----------------|-----------------|------------------|--------------|---|--|
| <i>ADD/ADHD as Primary Diagnosis</i> | 0 | 2 | 33 | 14 | 49 | 92.45 % | 12.76 % |
| <i>ADD/ADHD as Secondary Diagnosis</i> | 0 | 0 | 2 | 2 | 4 | 7.55 % | 1.04 % |
| <i>Precerts with ADD/ADHD as Primary or Secondary Diag</i> | 0 | 2 | 35 | 16 | 53 | 100.00 % | 13.80 % |
| <hr/> | | | | | | | |
| <i>53 patients</i> | | | | | | | |
| <i>ADD/ADHD Diagnosis Not on Stimulant Therapy</i> | 0 | 2 | 14 | 4 | 20 | 37.74 % | |
| <i>ADD/ADHD Diagnosis on Stimulant Therapy</i> | 0 | 0 | 21 | 12 | 33 | 62.26 % | |
| <hr/> | | | | | | | |
| <i>33 patients</i> | | | | | | | |
| <i>ADD/ADHD Diagnosis on Stimulant and Other Psych Therapy</i> | 0 | 0 | 15 | 12 | 27 | 81.82 % | |
| <i>ADD/ADHD Diagnosis on Stimulant and No Other Psych Therapy</i> | 0 | 0 | 6 | 0 | 6 | 18.18 % | |

**Active approved behavioral health precertifications. Patients may appear in multiple counts if they have had multiple precertifications that crossed over into different age groupings.*

Friday, January 01, 2021

Page 3 of 6



Conduent™ Behavioral Health Report

| | | | | | |
|---|---|----|-----|-----|-----|
| <i>Patients with Active Behavioral Health Precertifications</i> | 6 | 11 | 225 | 142 | 384 |
|---|---|----|-----|-----|-----|

**Active approved behavioral health precertifications. Patients may appear in multiple counts if they have had multiple precertifications that crossed over into different age groupings.*

Friday, January 01, 2021

Page 4 of 6



Conduent™ Behavioral Health Report

All Children

| <i>Description</i> | <i>Age 0-2</i> | <i>Age 3-4</i> | <i>Age 5-12</i> | <i>Age 13-17</i> | <i>Total</i> | <i>% of Patients with ADD/ADHD Precerts</i> | <i>% of Total Patients with Precerts</i> |
|---|----------------|----------------|-----------------|------------------|--------------|---|--|
| <i>ADD/ADHD as Primary Diagnosis</i> | 0 | 8 | 138 | 55 | 201 | 85.53 % | 10.88 % |
| <i>ADD/ADHD as Secondary Diagnosis</i> | 0 | 0 | 23 | 11 | 34 | 14.47 % | 1.84 % |
| <i>Precerts with ADD/ADHD as Primary or Secondary Diag</i> | 0 | 8 | 161 | 66 | 235 | 100.00 % | 12.72 % |
| <hr/> | | | | | | | |
| 235 patients | | | | | | | |
| <i>ADD/ADHD Diagnosis Not on Stimulant Therapy</i> | 0 | 8 | 69 | 16 | 93 | 39.57 % | |
| <i>ADD/ADHD Diagnosis on Stimulant Therapy</i> | 0 | 0 | 92 | 50 | 142 | 60.43 % | |
| <hr/> | | | | | | | |
| 142 patients | | | | | | | |
| <i>ADD/ADHD Diagnosis on Stimulant and Other Psych Therapy</i> | 0 | 0 | 65 | 48 | 113 | 79.58 % | |
| <i>ADD/ADHD Diagnosis on Stimulant and No Other Psych Therapy</i> | 0 | 0 | 27 | 2 | 29 | 20.42 % | |

**Active approved behavioral health precertifications. Patients may appear in multiple counts if they have had multiple precertifications that crossed over into different age groupings.*

Friday, January 01, 2021

Page 5 of 6



Conduent™ Behavioral Health Report

| | | | | | |
|---|----|----|------|-----|------|
| <i>Patients with Active Behavioral Health Precertifications</i> | 22 | 80 | 1069 | 677 | 1848 |
|---|----|----|------|-----|------|

**Active approved behavioral health precertifications. Patients may appear in multiple counts if they have had multiple precertifications that crossed over into different age groupings.*

Friday, January 01, 2021

Page 6 of 6