



Drug/Drug Class: Cephalosporins PDL Edit First Implementation Date: October 5, 2017 Revised Date: October 1, 2020 Prepared For: MO HealthNet Prepared By: MO HealthNet/Conduent Criteria Status: □ Revision of Existing Criteria □ New Criteria

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected:

Oral cephalosporins are divided into 3 generations of agents. First generation oral cephalosporins are active against gram-positive organisms. Second generation oral cephalosporins are active against some gram-positive and gram-negative organisms. Third generation oral cephalosporins have enhanced activity against many gramnegative organisms and are more effective against many resistant bacteria. Many third generation oral cephalosporins also have activity against gram-positive organisms. Cephalosporins are considered to be a part of the beta-lactam antibiotics group. Betalactam antibiotics inhibit the growth of bacteria by inactivating the beta-lactamase enzyme located in the bacterial cell membrane which is involved in its cell wall synthesis. The oral cephalosporins have been around for a long time and continue to be useful, especially for uncomplicated infections of the skin and skin structures. They may also be utilized for streptococcal pharyngitis in participants who are penicillin-allergic but are may not cause anaphylaxis. Adult and pediatric dosing recommendations are available in the literature for most of the available products, as well as liquid formulations. In general, the oral cephalosporins are well tolerated. In many cases, third generation cephalosporins may be given once or twice daily to promote participant adherence.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information:

C	Preferred Agents	Non-Preferred Agents
:	Cefadroxil Caps	Cefaclor Caps/Susp
	Cefdinir Caps/Susp	 Cefaclor ER Tabs
	 Cefprozil Tabs/Susp 	 Cefadroxil Tabs/Susp
	Cefuroxime Tabs	Cefixime Caps/Susp
	Cephalexin Caps/Susp	 Cefpodoxime Tabs/Susp
		 Cephalexin Tabs
		Keflex®
		Suprax [®]

Type of Criteria:	☐ Increased risk of ☐ Appropriate Indi		☑ Preferred Drug List☐ Clinical Edit			
Data Sources:	☐ Only Administra	tive Databases	☑ Databases + Prescriber-Supplied			
Setting & Population						
 Drug class for review: Cephalosporins Age range: All appropriate MO HealthNet participants 						
Approval Criteria	a					
 Failure to achieve desired therapeutic outcomes with trial on 2 or more preferred agents Documented trial period of preferred agents OR Documented ADE/ADR to preferred agents 						
Denial Criteria						
 Lack of adequate trial on required preferred agents Therapy will be denied if no approval criteria are met 						
Required Docum	nentation					
Laboratory Resul MedWatch Form:		Progress Notes: Other:				
Disposition of E	dit					
Denial: Exception Rule Type: PDL	Code "0160" (Preferr	ed Drug List)				
Default Approva	l Period					
1 year						

References

- 1. Lippincott, Williams, Wilkins. PDR Electronic Library, Montvale NJ; 2020.
- 2. USPDI, Micromedex; 2020.
- 3. Facts and Comparisons eAnswers (online); 2020 Clinical Drug Information, LLC.
- 4. Letourneau, A., (2019). Beta-lactam antibiotics: mechanisms of action and resistance and adverse effects. In A. Bloom (Ed.), *UpToDate*.
- 5. Evidence-Based Medicine and Fiscal Analysis: "Cephalosporins and Related Antibiotics Oral Therapeutic Class Review, Conduent Business Services, L.L.C., Richmond, VA; April 2020.
- 6. Evidence-Based Medicine Analysis: "Oral Cephalosporins & Related Antibiotics", UMKC-DIC; April 2020
- 7. Cefadroxil [package insert]. East Windsor, NJ: Aurobind Pharma USA; 2018.
- 8. Keflex [package insert]. Locust Valley, NY: Pragma Pharmaceuticals LLC; 2018.

SmartPA PDL Proposal Form

© 2020 Conduent Business Services, LLC. All rights reserved. ConduentTM and Conduent DesignTM are trademarks of Conduent Business Services, LLC in the United States and/or other countries.