

SmartPA Criteria Proposal

Drug/Drug Class:	Antiandrogenic Agents PDL Edit
First Implementation Date:	April 2, 2020
Revised Date:	April 1, 2021
Prepared For:	MO HealthNet
Prepared By:	MO HealthNet/Conduent
Criteria Status:	<input checked="" type="checkbox"/> Existing Criteria <input type="checkbox"/> Revision of Existing Criteria <input type="checkbox"/> New Criteria

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected: Antiandrogenic agents inhibit the action of androgens on tumor growth in prostatic tissue. Most drugs in this class work by interfering with androgen receptor activation, androgen receptor signaling, or androgen biosynthesis. Most are indicated for use in metastatic prostate cancer, aside from additional indications of nonmetastatic castration resistant prostate cancer in Nubeqa® (darolutamide) and Xtandi® (enzalutamide). All 2nd generation antiandrogenic agents should be given with gonadotropin-releasing hormone analog, aside from Erleada™, which should be given concurrently with androgen deprivation therapy. Dosage adjustment are required for Xtandi in patients taking concomitant strong CYP2C8 inhibitors or concomitant strong CYP3A4 inducers. Due to the mechanism of action for this class of drugs, patients may experience similar symptoms as those with androgen deficiency, including gynecomastia, and may increase risk for heart disease.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information:	Preferred Agents	Non-Preferred Agents
	<ul style="list-style-type: none"> Abiraterone Xtandi® Zytiga® 500mg 	<ul style="list-style-type: none"> Erleada® Nubeqa® Yonsa® Zytiga® 250mg

Type of Criteria: Increased risk of ADE Preferred Drug List
 Appropriate Indications Clinical Edit

Data Sources: Only Administrative Databases Databases + Prescriber-Supplied

Setting & Population

- Drug class for review: Antiandrogenic Agents
- Age range: All appropriate MO HealthNet participants

Approval Criteria

- Failure to achieve desired therapeutic outcomes with trial of preferred agents:
 - For Yonsa: therapeutic trial of abiraterone and Xtandi (trial defined as 1 claim in last 12 months) **OR**
 - For Nubeqa and Erleada: therapeutic trial of Xtandi (trial defined as 1 claim in last 12 months) **OR**
 - For Zytiga 250mg: Clinical Consultant review required for approval **OR**
 - Documented ADE/ADR to preferred agents **OR**
- Documented compliance on a current non-preferred therapy regimen (defined as 90/120 days)

Denial Criteria

- Lack of adequate trial on required preferred agents
- Therapy will be denied if all approval criteria are not met

Required Documentation

Laboratory Results:
MedWatch Form:

Progress Notes:
Other:

Disposition of Edit

Denial: Exception Code "0160" (Preferred Drug List)
Rule Type: PDL

Default Approval Period

1 year

References

1. Evidence-Based Medicine and Fiscal Analysis: "Non-steroidal Antiandrogens/Androgen Biosynthesis Inhibitors – Therapeutic Class Review", Conduent Business Services, L.L.C., Richmond, VA; October 2020.
2. Evidence-Based Medicine Analysis: "Non-Steroidal Antiandrogens/Androgen Biosynthesis Inhibitors", UMKC-DIC; October 2020.
3. Xtandi (enzalutamide) [package insert]. San Francisco, CA: Astellas Pharma US, Inc.; 10/2020.
4. Zytiga (abiraterone) [package insert]. Horsham, PA: Centocor Ortho Biotech Inc.; 10/2020.
5. Lippincott, Williams, Wilkins. PDR Electronic Library, Montvale NJ; 2019.
6. USPDI, Micromedex; 2020.
7. Drug Facts and Comparisons On-line; 2020.

SmartPA PDL Proposal Form

© 2021 Conduent Business Services, LLC. All rights reserved. Conduent™ and Conduent Design™ are trademarks of Conduent Business Services, LLC in the United States and/or other countries.

Other company trademarks are also acknowledged.