



SmartPA Criteria Proposal

Drug/Drug Class:	Ulcerative Colitis Agents – Oral PDL Edit	
First Implementation Date:	June 19, 2012	
Proposed Date:	March 19, 2020	
Prepared For:	MO HealthNet	
Prepared By:	MO HealthNet/Conduent	
Criteria Status:	□Existing Criteria □Revision of Existing Criteria □New Criteria	

Executive Summary

Purpose: The MO HealthNet Pharmacy Program will implement a state-specific preferred drug list.

Why Issue Selected:

Ulcerative colitis (UC) is a chronic, inflammatory bowel disease that affects roughly one million people in the United States. There is currently no cure for this disease state but the 2018 American Gastroenterological Association guidelines on the management of mild-to-moderate UC offer recommendations on providing symptom relief and improving quality of life through long-term remission. The treatment recommendations include the 5-amoinosalicylic class of medication which consists of balsalazide, mesalamine, olsalazine and sulfasalazine which are generally indicated for the treatment of active mild-to-moderate UC and/or induction or maintenance of remission. Oral budesonide is indicated only for the induction of remission in patients with active mild-to-moderate UC as there is limited efficacy or safety data for the use of budesonide for maintenance of remission.

Total program savings for the PDL classes will be regularly reviewed.

Program-Specific Information

Preferred Agents	Non-Preferred Agents
Balsalazide	Apriso®
• Lialda [®]	Asacol HD®
Pentasa®	Azulfidine®
 Sulfasalazine DR & IR 	Azulfidine EN-tabs®
	Budesonide (gen Uceris®)
	Colazal [®]
	Delzicol®
	Dipentum®
	Mesalamine (gen Apriso®)
	Mesalamine (gen Asacol HD®)
	Mesalamine (gen Delzicol®)
	Mesalamine (gen Lialda®)
	Uceris®
	 Balsalazide Lialda[®] Pentasa[®]

Type of Criteria:	☑ Increased risk of ADE☐ Appropriate Indications	☑ Preferred Drug List☐ Clinical Edit	
Data Sources:	☐ Only Administrative Databases	□ Databases + Prescriber-Supplied	
Setting & Popula	ation		
Age range: 2 yAge range: 5 yAge range: 18	review: Ulcerative Colitis Agents – Oral years of age or older: sulfasalazine IR, sulfasals of age or older: balsalazide, Colazalfyears of age or older: Apriso®, Asacol HD amine (gen Apriso®, gen Asacol HD®, gen	[®] , budesonide (gen Uceris [®]) Dipentum [®] ,	
Approval Criteria	a		
Failure to achiDocur	of appropriate age per agent (see above) A eve desired therapeutic outcomes with tria nented trial period of preferred agents nented ADE/ADR to preferred agents		
Denial Criteria			
 Lack of adequate trial on required preferred agents Therapy will be denied if no approval criteria are met 			
Required Docum	nentation		
Laboratory Resul MedWatch Form:			
Disposition of E	dit		
Denial: Exception	Code "0160" (Preferred Drug List)		

Default Approval Period

Rule Type: PDL

1 year

References

- 1. Evidence-Based Medicine Analysis: "Oral Ulcerative Colitis Agents", UMKC-DIC; January 2020.
- 2. Evidence-Based Medicine and Fiscal Analysis: "Ulcerative Colitis Agents, Oral Therapeutic Class Review", Conduent Business Services, L.L.C., Richmond, VA; February 2020.
- 3. Ko CW, Singh S, Feuerstein JD, et al, on behalf of the American Gastroenterological Association Institute Clinical Guidelines Committee. *Gastroenterology*. 2018 Dec 18. pii: S0016-5085(18)35407-6. doi: 10.1053/j.gastro.2018.12.009. [Epub ahead of print].
- 4. Centers for Disease Control and Prevention. (2020). Data and Statistics; Inflammatory Bowel Disease Prevalence (IBD) in the United States. Retrieved from https://www.cdc.gov/ibd/data-statistics.htm
- 5. Lippincott, Williams, Wilkins. PDR Electronic Library, Montvale NJ; 2020.
- 6. USPDI, Micromedex; 2020.
- 7. Facts and Comparisons eAnswers (online); 2020 Clinical Drug Information, LLC.

SmartPA PDL Proposal Form

© 2020 Conduent Business Services, LLC. All rights reserved. Conduent TM and Conduent Design TM are trademarks of Conduent Business Services, LLC in the United States and/or other countries.